

Series HPP 60-450 4568 PSI



HPP 60-150 6-11 120 OUT IN bore 338 DIA 1260 945 3.504 4.094



Dimensions:

type	HPP						
,,	60	90	150	170	240	360	450
connection	3/4"			1"			
Α	7.95	10.51	14.80	11.22	13.18	16.33	20.55
В	3.15	3.15	3.15	3.74	3.74	3.74	3.74
С	10.63	13.19	17.52	13.78	15.75	18.90	23.03
D	.79	.79	.79	.87	.87	.87	.87
E	1.10	1.10	1.10	1.18	1.18	1.18	1.18
F	2.56	2.56	2.56	3.54	3.54	3.54	3.54
weight	11 lbs.	12 lbs.	14lbs.	33 lbs.	35 lbs.	39 lbs.	44 lbs.
volume tank	.08 Gal.	.10 Gal.	.16 Gal.	.18 Gal.	.23 Gal.	.31 Gal.	.42 Gal.

1) Connect the stand grounding tab to a suitable earth ground point.

Dimensions: inches

Designs and performance values are subject to change.



Pressure Filter Series HPP 60-450 4568 PSI

Description:

Pressure filter series HPP 60-450 have a working pressure up to 4568 PSI. Pressure peaks can be absorbed with a sufficient safety margin. The HPF-filters are flanged to the mounting-surface.

The filter element consists of star-shaped, pleated filter material, which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow direction is from outside to inside. Filter elements are available down to 5 μ m_(c). Finer filtration is available upon request.

Eaton filter elements are known for high intrinsic stability and an excellent filtration capability, a high dirt-retaining capacity and a long service life.

Eaton filter elements are suitable for all petroleum based fluids, HW-emulsions, most synthetic hydraulic fluids and lubrication oils.

Eaton filter elements are available up to a pressure resistance of Δp 2320 PSI and a rupture strength of Δp 3625 PSI

The internal valve is integrated into the filter head.

After reaching the bypass pressure setting, the bypass valve will send unfiltered partial flow around the filter.

The reversing valve provides another level of protection for the filter element. The reverse flow will not be filtered.

1. Type index:

1.1. Complete filter: (ordering example)

HPP. 90. 10VG. HR. E. P. -. P. 4. -. -. AE 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 1 series: HPP = pressure filter, manifold mounted 2 | **nominal size:** 60, 90, 150, 170, 240, 360, 450 3 | filter-material and filter-fineness: 80G, 40G, 25G, 10G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass 4 | filter element collapse rating: = Ap 435 PSI = Δp 2320 PSI (rupture strength Δp 3625 PSI) 5 | filter element design: Ε = single-end open 6 sealing material: = Nitrile (NBR) V = Viton (FPM) 7 | filter element specification: (see catalog) = standard stainless steel IS06 = for HFC applications, see sheet-no. 31601 8 process connection: = manifold mounted 9 process connection size: (HPP 60-150) = 3/4" 5 = 1" (HPP 170-450) 10 | filter housing specification: (see catalog) = standard IS06 = for HFC applications, see sheet no.31605 11 internal valve: = without = with bypass valve Δp 51 PSI S2 = with bypass valve Δp 102 PSI = reversing valve, Q ≤ 18.50 GPM (HPP 60-150) reversing valve, Q ≤ 55.75 GPM (HPP 170-450)


12 clogging indicator or clogging sensor:

= without

AOR = visual, see sheet-no. 1606
AOC = visual, see sheet-no. 1606
AE = visual-electric, see sheet-no. 1615
VS5 = electronic, see sheet-no. 1619

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

1.2. Filter element: (ordering example)



Technical data:

design temperature: 14 °F to +212 °F operating temperature: 14 °F to +176 °F to +176 °F

operating medium mineral oil, other media on request

max. operating pressure: 4568 PSI test pressure: 6525 PSI

process connection: manifold mounted

housing material: C-steel

sealing material: Nitrile (NBR) or Viton (FPM), other materials on request

installation position: vertical

Classified under the Pressure Equipment Directive 2014/68/EC for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EC according to specific application (see questionnaire sheet-no. 34279-4)

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see Δp = f (Q) - characteristics)

$$\varDelta p_{\, element \, (PSI)} = \ Q \, \left(GPM \right) \, x \, \, \frac{MSK}{1000} \left(\frac{PSI}{GPM} \right) x \, \, v \left(SUS \right) \, x \, \, \frac{\rho}{0.876} \, \left(\frac{kg}{dm^3} \right)$$

For ease of calculation our Filter Selection tool is available online at www.eatonpowersource.com/calculators/filtration/


Material gradient coefficients (MSK) for filter elements


The material gradient coefficients in PSI/GPM apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.

HPP	VG				G			
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G
60	6.748	4.685	2.999	2.577	1.760	0.2002	0.1868	0.1280
90	4.059	2.818	1.804	1.550	1.059	0.1210	0.1130	0.0774
150	2.422	1.681	1.076	0.925	0.632	0.0723	0.0675	0.0462
170	2.714	1.884	1.206	1.036	0.708	0.0839	0.0783	0.0537
240	2.092	1.452	0.930	0.799	0.546	0.0651	0.0607	0.0416
360	1.530	1.062	0.680	0.584	0.399	0.0475	0.0444	0.0304
450	1.126	0.782	0.500	0.430	0.294	0.0349	0.0326	0.0223


$\Delta p = f(Q)$ – characteristics according to ISO 3968

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density.





Symbols:



with visual-electric indicator with visual-electric indicator AE 50 and AE 62 AE 70 and AE 80



d AE 80

with visual indicator AOR/AOC



clogging sensor VS5

with electronic



Spare parts:

item	qty.	designation	dimension and article-no.					
			HPP 60-150	HPF 170-450				
1	1	filter element	01E.60 01E.150	01E.170 01E.450				
2	1	O-Ring	22 x 3,5 304341 (NBR)	34 x 3,5 304338 (NBR)				
			304392 (FPM)	304730 (FPM)				
3	1	O-Ring	54 x 3 304657 (NBR)	75 x 3 302215 (NBR)				
			304720 (FPM)	304729 (FPM)				
4	1	support ring	61 x 2,6 x 1 304660	81 x 2,6 x 1 304581				
5	2	O-Ring	22 x 3 304387 (NBR)	33,3 x 2,4 304380 (NBR)				
		, and the second	304931 (FPM)	314706 (FPM)				
6	1	clogging indicator, visual	AOR or AOC	see sheet-no. 1606				
7	1	clogging indicator, visual-electric	AE	see sheet-no. 1615				
8	1	clogging sensor, electronic	VS5	see sheet-no. 1619				
9	1	O-Ring	15 x 1,5	315357 (NBR)				
				315427 (FPM)				
10	1	O-Ring	22 x 2	304708 (NBR)				
		, and the second		304721 (FPM)				
11	1	O-Ring	14 x 2	304342 (NBR)				
				304722 (FPM)				
12	1	srew plug	20913-4	309817				

item 12 execution only without clogging indicator or clogging sensor

Test methods:

Filter elements are tested according to the following ISO standards:

ISO 2941 Verification of collapse/burst resistance
 ISO 2942 Verification of fabrication integrity
 ISO 2943 Verification of material compatibility with fluids

ISO 3723 Method for end load test

ISO 3724 Verification of flow fatigue characteristics

ISO 3968 Evaluation of pressure drop versus flow characteristics ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

China

No. 3, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Singapore

4 Loyang Lane #04-01/02 Singapore 508914 Tel: +65 6825-1668

Brazil

Av. Julia Gaioli, 474 – Bonsucesso 07251-500 – Guarulhos, Brazil Tel: +55 11 2465-8822 For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2015 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

