



CERTIFICATE NUMBER  
15-HS1373516-PDA

DATE  
13 Jul 2015

ABS TECHNICAL OFFICE  
Houston SED Machinery - Piping  
& Electrical Sys.

# CERTIFICATE OF DESIGN ASSESSMENT

This is to certify that a representative of this Bureau did, at the request of

## EATON

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

Product: **Strainer**

Model: **Model 72**


This Product Design Assessment (PDA) Certificate 15-HS1373516-PDA, dated 13/Jul/2015 remains valid until 12/Jul/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

AMERICAN BUREAU OF SHIPPING

  
\_\_\_\_\_  
Tim Kimble  
Engineer

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by the terms and conditions as contained in ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010).

**EATON**

HYDRAULICS GROUP, FILTRATION DIVISION

44 APPLE STREET

TINTON FALLS NJ

United States 07724

Telephone: 732-212-4700

Fax: 952-906-3706

Email: markalevis@eaton.com

Web: eaton.com/filtration

**Tier: 2 - PDA Issued**

---

**Product:** Strainer**Model:** Model 72**Intended Service:**

Marine and Offshore Applications - Fuel oil, lube oil, fresh water and sea water systems for marine vessels and offshore installations

**Description:**

Simplex basket strainers with flanged or threaded connections and fitted with a swinging yoke on top for removal of the basket. The strainers covered by this certificate are available in the following materials: Ductile Iron (ASTM A395), Carbon Steel (ASTM WCB), Stainless Steel (ASTM A351 CF8M) and Bronze (ASTM B148 C95400).

**Rating:**

Design Pressure: 200 psi (13.8 bar)

Design Temperature: 100degF (37.8degC)

Ductile Iron (ASTM A395); 150 # Flanged (ASME B16.42); Sizes: 1", 1.5", 2", 2.5", 3", 4", 5" &amp; 6";

Ductile Iron (ASTM A395); NPT (ASME B1.20.1); Sizes: 1", 1.5", 2" &amp; 2.5";

Carbon Steel (ASTM WCB); 150 # Flanged (ASME B16.5); Sizes: 1", 1.5", 2", 2.5", 3", 4" &amp; 6";

Carbon Steel (ASTM WCB); NPT (ASME B1.20.1); Sizes: 1", 1.25", 1.5", 2", 2.5" &amp; 3";

Stainless Steel (ASTM A351 CF8M); 150 # Flanged (ASME B16.5); Sizes: 1", 1.5", 2", 2.5", 3", 4" &amp; 6";

Stainless Steel (ASTM A351 CF8M); NPT (ASME B1.20.1); Sizes: 1", 1.25", 1.5", 2", 2.5" &amp; 3";

Bronze (ASTM B148 C95400); 150 # Flanged (ASME B16.24); Sizes: 1", 1.5", 2", 2.5", 3", 4", 5" &amp; 6";

Bronze (ASTM B148 C95400); NPT (ASME B1.20.1); Sizes: 1/2", 3/4", 1", 1.25", 1.5", 2", 2.5" &amp; 3";

**Service Restriction:**

1) Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

2) Strainers for piping systems containing flammable fluids are to be constructed of steel or other materials approved by ABS as per 4-6-2/3.5 of the SVR.

**Comments:**

1) The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.

2) The strainers' body is to bear permanent identification, such as manufacturer's name or trademark, standard of compliance, material identity, pressure rating, etc., as required by the standard of compliance (ASTM F1199-88 or ASTM F1200-88, as applicable), as per 4-6-1/7.1.4 & Table 2 of the SVR.

3) The installation of the strainers is to comply with the applicable requirements in 4-6-5/3.3.4, 4-6-5/3.5.4, 4-6-5/5.3.6, 4-6-5/5.5.2 and 4-6-5/7.7.2 of the SVR, as applicable.

**Notes/Drawing/Documentation:**

ASTM F1199-88 (2010) &amp; ASTM F1200-88 (2010), Letter of Conformance, Revision: A,

Drawing No. CALC4022, CALCULATION 1" 150# FF MODEL 72 DUCTILE IRON, Revision: A,

Drawing No. CALC4023, CALCULATION 1 1/2" 150# FF MODEL 72 DUCTILE IRON, Revision: A,

Drawing No. CALC4024, CALCULATION 2" 150# FF MODEL 72 DUCTILE IRON, Revision: A,

**EATON**

HYDRAULICS GROUP, FILTRATION DIVISION

44 APPLE STREET

TINTON FALLS NJ

United States 07724

Telephone: 732-212-4700

Fax: 952-906-3706

Email: markalevis@eaton.com

Web: eaton.com/filtration

**Tier: 2 - PDA Issued**

Drawing No. CALC4025, CALCULATION 2-1/2" 150# FF MODEL 72 DUCTILE IRON, Revision: A,  
Drawing No. CALC4026, CALCULATION 3" 150# FF MODEL 72 DUCTILE IRON, Revision: A,  
Drawing No. CALC4027, CALCULATION 4" 150# FF MODEL 72 DUCTILE IRON, Revision: A,  
Drawing No. CALC4028, CALCULATION 5" 150# FF MODEL 72 DUCTILE IRON, Revision: A,  
Drawing No. CALC4029, CALCULATION 6" 150# FF MODEL 72 DUCTILE IRON, Revision: A,  
Drawing No. Material Designations, Material designations BRZ, SS, CS, DI, Revision: A,  
Drawing No. SD072011, model 72 simplex strainer NPT THREADED CONNECTIONS sizes 3/8" thru 3" bronze,  
Revision: F,  
Drawing No. SD072012, model 72 simplex strainer NPT THREADED CONNECTIONS sizes 3/4" thru 3"  
STAINLESS STEEL, Revision: F,  
Drawing No. SD072013, model 72 simplex strainer NPT THREADED CONNECTIONS sizes 3/4" thru 3" CARBON  
STEEL, Revision: F,  
Drawing No. SD072021, model 72 simplex strainer 150# flat faced flange sizes 1" thru 1-1/2" CARBON STEEL,  
Revision: D,  
Drawing No. SD072022, model 72 simplex strainer 150# flat faced flange sizes 2" thru 6" CARBON STEEL,  
Revision: F,  
Drawing No. SD072023, model 72 simplex strainer 150# flat faced flange sizes 1" thru 1-1/2" STAINLESS STEEL,  
Revision: E,  
Drawing No. SD072025, model 72 simplex strainer 150# flat faced flange sizes 2" thru 6" STAINLESS STEEL,  
Revision: E,  
Drawing No. SD072026, model 72 simplex strainer 150# flat faced flange sizes 2" thru 6" DUCTILE IRON,  
Revision: A,  
Drawing No. SD072031, model 72 simplex strainer 150# flat faced flange sizes 1" thru 1-1/2" bronze, Revision: B,  
Drawing No. SD072032, model 72 simplex strainer 150# flat faced flange sizes 2" thru 6" bronze, Revision: E,  
Drawing No. ST0720037T1C, 3/8" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720050T1C, 1/2" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720075T1C, 3/4" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST072007BT20A, 3/4" #72 150#THD SS, Revision: A,  
Drawing No. ST072007BT30A, 3/4" #72 150#THD CS, Revision: A,  
Drawing No. ST0720100T1C, 1" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720100T2C, 1" #72 150#THD SS, Revision: A,  
Drawing No. ST0720100T3C, 1" #72 150#THD CS STD, Revision: A,  
Drawing No. ST072010BF10A, 1" #72 150#FF BRZ B62 OR B148 ALLOY 954, Revision: A,  
Drawing No. ST072010BF60A, 1" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST072010BR20A, 1" #72 150#RF SS, Revision: A,  
Drawing No. ST072010BR30A, 1" #72 150#RF CS, Revision: A,  
Drawing No. ST0720125T1C, 1-1/4" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720125T3C, 1-1/4" #72 150#THD CS, Revision: A,  
Drawing No. ST072012BF10C, 1-1/4" #72 150#FF BRZ B62 OR B148 ALLOY 954, Revision: A,  
Drawing No. ST072012BT20A, 1-1/4" #72 150#THD SS, Revision: A,  
Drawing No. ST0720150T1C, 1-1/2" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720150T2C, 1-1/2" #72 150#THD SSSL, Revision: A,  
Drawing No. ST0720150T3C, 1-1/2" #72 150#THD CS STD, Revision: A,  
Drawing No. ST072015BF10A, 1-1/2" #72 150#FF BRZ OR B148 ALLOY 954, Revision: A,  
Drawing No. ST072015BF60A, 1-1/2" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST072015BR20A, 1-1/2" #72 150#RF SS, Revision: A,  
Drawing No. ST072015BR30A, 1-1/2" #72 150#RF CS, Revision: A,  
Drawing No. ST0720200F1C, 2INCH #72 150#FF BRZ, Revision: A,  
Drawing No. ST0720200F6C, 2" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST0720200R2C, 2" #72 150#RF SS, Revision: A,  
Drawing No. ST0720200R3C, 2" #72 150#RF CS, Revision: A,  
Drawing No. ST0720200T1C, 2" #72 150#THD BRZ STD, Revision: A,

**EATON**  
HYDRAULICS GROUP, FILTRATION DIVISION  
44 APPLE STREET  
TINTON FALLS NJ  
United States 07724  
Telephone: 732-212-4700  
Fax: 952-906-3706  
Email: markalevis@eaton.com  
Web: eaton.com/filtration

**Tier: 2 - PDA Issued**

---

Drawing No. ST0720200T2C, 2" #72 150#THD SS STD, Revision: A,  
Drawing No. ST0720200T3C, 2" #72 150#THD CS STD., Revision: A,  
Drawing No. ST0720250F1C, 2-1/2" INCH #72 150#FF BRZB62 OR B148 ALLOY 954, Revision: A,  
Drawing No. ST0720250F6C, 2-1/2" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST0720250R2C, 2-1/2" #72 150#RF SS, Revision: A,  
Drawing No. ST0720250R3C, 2-1/2" #72 150#RF CS, Revision: A,  
Drawing No. ST0720250T1C, 2-1/2" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720250T2C, 2-1/2" #72 150#THD SS STD, Revision: A,  
Drawing No. ST0720250T3C, 2-1/2" #72 150#THD CS STD, Revision: A,  
Drawing No. ST0720300F1C, 3" INCH #72 150#FF BRZ, Revision: A,  
Drawing No. ST0720300F6C, 3" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST0720300R2C, 3" #72 150#RF SS, Revision: A,  
Drawing No. ST0720300R3C, 3" #72 150#RF CS, Revision: A,  
Drawing No. ST0720300T1C, 3" #72 150#THD BRZ STD, Revision: A,  
Drawing No. ST0720300T2C, 3" #72 150#THD SS STD, Revision: A,  
Drawing No. ST0720300T3C, 3" #72 150#THD CS STD, Revision: A,  
Drawing No. ST0720400F1C, 4" INCH #72 150#FF BRZ STDOR B148 ALLOY 954, Revision: A,  
Drawing No. ST0720400F6C, 4" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST0720400R2C, 4" #72 150#RF SS, Revision: A,  
Drawing No. ST0720400R3C, 4" #72 150#RF CS, Revision: A,  
Drawing No. ST0720500F1C, 5" #72 150#FF BRZ B62OR B148 ALLOY 954, Revision: A,  
Drawing No. ST0720500F6C, 5" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST0720600F1C, 6" INCH #72 150#FF BRZ, Revision: A,  
Drawing No. ST0720600F6C, 6" #72 150#FF DI ASTM A395, Revision: A,  
Drawing No. ST0720600R2C, 6" #72 150#RF SS, Revision: A,  
Drawing No. ST0720600R3C, 6" #72 150#RF CS, Revision: A,  
Drawing No. ST072010BT60A, 1" #72 DUCTILE IRON NPT, Revision A  
Drawing No. ST072015BT60A, 1 1/2" #72 DUCTILE IRON NPT, Revision A  
Drawing No. ST072020BT60A, 2" #72 DUCTILE IRON NPT, Revision A  
Drawing No. ST072025BT60A, 2 1/2" #72 DUCTILE IRON NPT, Revision A.

**Terms of Validity:**

This Product Design Assessment (PDA) Certificate 15-HS1373516-PDA, dated 13/Jul/2015 remains valid until 12/Jul/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

**STANDARDS**

**ABS Rules:**

Rules for Conditions of Classification, Part 1 – 2015 Steel Vessels Rules 1-1-4/7.7, 1-1-A3, 1-1-A4, which covers the following:

**EATON**  
HYDRAULICS GROUP, FILTRATION DIVISION  
44 APPLE STREET  
TINTON FALLS NJ  
United States 07724  
Telephone: 732-212-4700  
Fax: 952-906-3706  
Email: markalevis@eaton.com  
Web: eaton.com/filtration

---

**Tier: 2 - PDA Issued**

---

Steel Vessel Rules (2015) 4-1-1/Table 6, 4-6-1/7 and 4-6-2/3.  
ABS Rules for Conditions of Classification, Part 1 – 2015 Offshore Units and Structures 1-1-4/9.7, 1-1-A2, 1-1-A3,  
which covers the following:  
Mobile Offshore Drilling Units 4-2-2/1.3, 4-2-2/3, 6-1-6/5 and 6-1-6/Table 1.

**National:**

ASTM F1199 - 80 (Reapproved 2010);  
ASTM F1200 - 88 (Reapproved 2010);  
2013 ASME BPVC, Section VIII, Division 1;  
ASME B16.5-2013;  
ASME B16.24-2011;  
ASME B16.42-2011;  
ASME B1.20.1-2013

**International:**

NA

**Government:**

NA

**EUMED:**

NA

**OTHERS:**

NA